



TORX® sockets 3/8"

45TX

Product no. **02270006**
GTIN **4018754003662**
Model **45TX E6 TORX®**



Label. 3/8 " Socket L.28mm

Properties.

- for external TORX® screws
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

for screws	M5
Size drive profile	E6
TORX® drive profile (mm)	5,70 mm
Square drive inner (inch)	3/8 "
Length mm (L)	28 mm
Drive profile	TORX®
d1	8 mm
d2	16,5 mm
d3	3,6 mm
Alloy	HPQ® high performance steel
t1	5,5 mm
t2	16,5 mm

Logistics data.

Product no.	02270006
GTIN	4018754003662
Weight (g)	23 g
Volume (packaged, dm3)	1.14 dm3
Packing standard	100
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	28
Width mm (IFS)	17
Height mm (IFS)	17
Weight (gross, kg)	2,300
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
Length (packaged, mm)	95
Width (packaged, mm)	40
Height (packaging, mm)	300

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal