STAHLWILLE®

QuickRelease extensions 1/2"

509QR

Product no.	**13011004**
GTIN	**4018754151011**
Model	**509QR/3**

Label. 1/2 " QR extensions L.75mm

Properties.

- with QuickRelease safety lock
- with ball locking function
- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316

Benefits.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

The high-quality Chrome Alloy Steel construction promises a long service life.

The socket wrench adaptor ensures optimum power transmission even in hard-to-reach places.

Patented QuickRelease locking system secures every component from ratchet and the joint to the socket without loss of space.

Product highlights.

A solution for every situation.
Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).

Safe for hard-to-reach screws.
The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.

Outstanding craftsmanship.
The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technologies and features.

QuickRelease
The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Size	3
External square drive (inch)	1/2
Square drive inner (inch)	1/2 "
Length mm (L)	75 mm
d	23 mm
DIN	DIN 3123 / ISO 3316
Alloy	Chrome Alloy Steel, chrom plated

Logistics data.

Product no.	13011004
GTIN	4018754151011
Weight (g)	123 g
Volume (packaged, dm3)	0.04896 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	75

Width mm (IFS)	23
Height mm (IFS)	23
Weight (gross, kg)	0,615
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	85
Width (packaged, mm)	24
Height (packaging, mm)	24

GTIN.

4 018754 151011

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal