STAHLWILLE®

## Ring insert tools

## 732G/10

| | |
|---|---|
| Product no. | **58620010** |
| GTIN | **4018754141326** |
| Model | **732G/10 10** |

**Label.** Ring insert tool Size 10mm Tool holder9 x 12

**Properties.**

- bi-hex with AS-Drive profile
- for torque wrenches with interchangeable insert system
- HPQ® high-performance steel, gunmetal finish

## Technologies and features.

**High Performance Quality (HPQ®)**
Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.






## Technical attributes.

| | |
|---|---|
| **Size [mm]** | 10 mm |
| **Tool holder size [internal square]** | 9 x 12 mm |
| **Width mm (b)** | 15,6 mm |
| **Height mm (h)** | 8 mm |
| **S** | 45 mm |

## Logistics data.

| | |
|---|---|
| **Product no.** | 58620010 |
| **GTIN** | 4018754141326 |
| **Weight (g)** | 45 g |
| **Volume (packaged, dm3)** | 0.024 dm3 |
| **Packing standard** | 5 |
| **WEEE/ElektroG** | nicht ear-pflichtig |
| **Customs tariff no.** | 82041100 |
| **Country of origin AWR** | GERMANY |
| **Region of origin** | Nordrhein-Westfalen |
| **Depth mm (IFS)** | 80 |
| **Width mm (IFS)** | 25 |
| **Height mm (IFS)** | 12 |
| **Weight (gross, kg)** | 0,225 |
| **Weight PAP (kg)** | 0,000 |
| **Weight PVC (kg)** | 0,002 |
| **Length (packaged, mm)** | 80 |
| **Width (packaged, mm)** | 25 |
| **Height (packaging, mm)** | 12 |

## GTIN.

4 018754 141326

## Accessories (for).

18200001
Tool holder/
disassembly tool

**STAHLWILLE Eduard Wille GmbH**
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal