




QuickRelease socket set 3/8", 19-pcs.

45/14/5I QR

Product no. **96021180**
GTIN **4018754260683**
Model **45/14/5I QR**



Label. 3/8 Socket set 45/14/5I QR 19 pcs.

Properties.

- in a sturdy, stackable ABS plastic box

Contains 19-pieces:

14 sockets with bi-hex 3/8" **No. 45:** 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22 mm
1 QuickRelease fine-tooth ratchet 3/8" **No. 435QR N:** L. 193 mm
2 QuickRelease extensions 3/8" **No. 427QR:** L. 76; 240 mm
1 QuickRelease T-handle 3/8" **No. 425QR:** L. 165 mm
1 QuickRelease universal joint 3/8" **No. 428QR:** L. 60 mm

Benefits.

Field-proven 19-piece socket set for use in industry, in the workshop or for DIY.

HPQ® sockets are extremely durable, thin-walled and ideal for working in confined spaces.

Safe storage in a sturdy hard-shell tool box.

Includes a 3/8" ratchet, sockets, extensions, a universal joint and a T-handle.

The special, high-quality and chemical-resistant hard foam insert ensures that the tools are held securely during transport.

Product highlights.



Robust tool box.

The robust tool box is particularly resilient thanks to its durable ABS plastic. It has a high-quality, chemical-resistant hard foam insert to hold the tools securely in place. The fasteners are particularly easy to use and can be ordered individually as spare parts.



Everything at a glance.

The laser-engraved contents in the lid insert provide an optimal overview of the tools within.




PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and resistance to continuous use. It is also chrome-plated for corrosion resistance.

Technologies and features.



Fine-tooth ratchet mechanism

Our fine-tooth ratchets with 80 teeth re-engage after just 4.5° for maximum precision in confined spaces. 8 pairs of parallel teeth simultaneously ensure maximum load-bearing capacity and particularly smooth running, even at high torques.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.



2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids, and Skydrol.

Technical attributes.

External square drive (inch)	3/8
Length mm (L)	325 mm
Width mm (b)	135 mm
Height mm (h)	60 mm
Number of tools	19 pcs.

Logistics data.

Product no.	96021180
GTIN	4018754260683
Weight (g)	1738 g
Volume (packaged, dm3)	2.6325 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	325
Width mm (IFS)	135
Height mm (IFS)	60
Weight (gross, kg)	1,754
Weight PAP (kg)	0,080
Weight PVC (kg)	0,000
Length (packaged, mm)	325
Width (packaged, mm)	135
Height (packaging, mm)	60

Parts list.



02010008
Socket



02010009
Socket



02010010
Socket



02010011
Socket



02010012
Socket



02010013
Socket



02010014
Socket



02010015
Socket



02010016
Socket



02010017
Socket



02010018
Socket



02010019
Socket



02010021
Socket



02010022
Socket



12011001
QR extensions



12011003
QR extensions



12021000
QR universal joint



12071000
QR T-handle



12111020
QR fine-tooth ratchet



81261011
Tool case

GTIN.



4 018754 260683

Accessories (for).



81261011
Tool case



83022081
Hard foam insert for
tool case