



Double-ended ring spanner set CORONA, metric

CORONA 23/8

Product no. **96410704**
GTIN **4018754081097**
Model **CORONA 23/8**



Label. Double-ended ring spanner set CORONA 23/8 6x7-20x22 8 pcs.

- Properties.**
- **metric, differing** end sizes
 - short, flat cranked
 - durable, slim and lightweight design
 - high flexural strength due to double-T profile
 - STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
 - drop-forged, hardened, and cooled in an oil bath
 - Chrome Alloy Steel, chrome-plated
 - in cardboard packaging

Benefits.

High-quality double-ended ring spanner set, flat cranked (10°) for optimum access with low height, with metric size.

High bending stiffness ensures added safety even in the event of overload.

Made of robust Chrome Alloy Steel and additionally chrome-plated for high durability, reliable corrosion protection and enormous wear resistance.

A special manufacturing process enables thin-walled rings - slim for use in confined areas and at the same time robust enough for high loads.

The distinctive STAHLWILLE rounded finish gives the combination spanner a non-slip and comfortable feel for safe working, even with oily hands.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Straight shape for maximum reach and flexibility.

Our newly launched CORONA double-ended ring spanner set with unequal spanner sizes in a sturdy cardboard box is the ideal choice for professional screwdriving work in workshops and industry. Typical applications include loosening and tightening screw connections on engine and chassis components in the automotive sector, maintenance work on machines and drives, and precision metalworking where linear power transmission and direct access to screws are required. The different size per tool make it possible to work efficiently with multiple screw sizes without having to change tools.



PRODUCT IMAGE
IN PROGRESS

For work close to the surface.

Our CORONA double-ended ring spanners fit comfortably in the hand and provide a secure, stable feel even with tight bolts. Thanks to their flat cranked shape with a 10° cranked, they can be inserted in flat spaces and close to the surface, for example under covers, in housings or on aggregates - ideal when conventional spanners require too much space or collide with surrounding components.



PRODUCT IMAGE
IN PROGRESS

Optimum power transmission.

Each spanner guarantees consistently excellent quality thanks to minimal manufacturing tolerances and high reproducible precision. The jaw and ring always fit securely on the screw, ensuring optimum power transmission.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface.

STAHLWILLE spanners feature a high-quality, non-slip surface texture that enables safe working even with oily hands. The non-slip texture increases control during handling.




PRODUCT IMAGE
IN PROGRESS

High-quality workmanship.


The key is forged from high-quality Chrome Alloy Steel, which gives it high stability and resistance even in continuous use. It is also chrome-plated for corrosion resistance.

Technologies and features.



Double-T profile


Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

Contents	6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm
Model No.	23/8
Range	6x7-20x22
Alloy	Chrome Alloy Steel, chrom plated
Surface	chrome-plated
Number of tools	8 pcs.

Logistics data.

Product no.	96410704
GTIN	4018754081097
Weight (g)	870 g
Volume (packaged, dm3)	0.5423 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	290
Width mm (IFS)	55
Height mm (IFS)	34
Weight (gross, kg)	0,900

Weight PAP (kg)	0,040
Weight PVC (kg)	0,000
Length (packaged, mm)	290
Width (packaged, mm)	55
Height (packaging, mm)	34

Parts list.



41070607
Double-ended ring
spanner



41070809
Double-ended ring
spanner



41071011
Double-ended ring
spanner



41071213
Double-ended ring
spanner



41071415
Double-ended ring
spanner



41071617
Double-ended ring
spanner



41071819
Double-ended ring
spanner



41072022
Double-ended ring
spanner

GTIN.



4 018754 081097

STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal