




Screwdriver set, 24-pieces

TCS WT 4650-4665 VDE/10767a/24

Product no. **96830127**
GTIN **4018754248827**
Model **DRALL+ TCS WT
4650-4665/24**



Label.

Screwdriver set DRALL+ DRALL+ TCS WT 4650-4665/24 24 pcs.

Properties.

- suitable for the 60 mm drawers of tool trolley No. 13217
- safely integrated in the modular Tool Control System (TCS)

Contains 24-pieces:

5 TORX® screwdrivers **No. 4650**: T10; T15; T20; T25; T30

3 VDE electrician's slotted screwdrivers **No. 4660 VDE**: 0.4 x 2.5 x 75; 0.6 x 3.5 x 100; 1.0 x 5.5 x 125 mm

3 VDE PH cross-head screwdrivers **No. 4665 VDE**: PH1; PH2; PH3

1 ball-ended L-Key set hex **No. 10767a/13**: 0.050; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8"

Benefits.

With the Tool Control System, the tools fit into chemical-resistant safety foam inlays with high-precision, 3D cutouts.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Individual.

The four handle sizes for the screwdrivers are designed specifically to match the drive profiles.



Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.



Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.



Convenient.

The screwdrivers are available in a set - either conveniently housed in ES inserts or TCS safety inlays, designed for use with STAHLWILLE tool trolleys and tool boxes.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



VDE DRALL+

Our VDE-DRALL+ handle is insulated to 1,000 V according to DIN EN 60900. It is non-slip and ergonomically shaped. An extended grip zone protects the fingers and a hand stop prevents the tool from accidentally slipping or rolling away.

Technical attributes.

Length mm (L)	250 mm
Width mm (b)	460 mm
Height mm (h)	60 mm
Number of tools	24 pcs.

Logistics data.

Product no.	96830127
GTIN	4018754248827
Weight (g)	1400 g
Volume (packaged, dm3)	6.9 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82054000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	60
Weight (gross, kg)	1,400

Weight PAP (kg)	0,000
Weight PVC (kg)	0,013
Length (packaged, mm)	460
Width (packaged, mm)	250
Height (packaging, mm)	60

Parts list.



46503010
TORX® screwdriver
DRALL+



46503015
TORX® screwdriver
DRALL+



46503020
TORX® screwdriver
DRALL+



46503025
TORX® screwdriver
DRALL+



46503030
TORX® screwdriver
DRALL+



46603025
VDE electrician's
slotted screwdriver
DRALL+



46603035
VDE electrician's
slotted screwdriver
DRALL+



46603055
VDE electrician's
slotted screwdriver
DRALL+



46653001
VDE PH cross-head
screwdriver DRALL+



46653002
VDE PH cross-head
screwdriver DRALL+



46653003
VDE PH cross-head
screwdriver DRALL+



96435700
Hex ball-ended L-Key
set

GTIN.



4 018754 248827



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal